

10. References

Albert, S., O'Neil, J. M., Udy, J.W., Ahern, K. S., O'Sullivan, C. M. and Dennison W. C. (2005) *Blooms of the cyanobacterium Lyngbya majuscula in coastal Queensland, Australia: disparate sites, common factors*. Marine Pollution Bulletin, **51**:428-437.

Australian Bureau of Statistics. (2006). Quickstats for Port Pirie Urban Centre, Port Pirie and Districts LGA and South Australia.

Australian Government Department of Climate Change (2009), *Climate Change Risks to Australia's Coasts – A First Pass National Assessment*, Department of Climate Change, Australia.

Aylward, G. and Findlay, T. (1998) *Si Chemical Data (4th edition)*. Jacaranda Wiley Ltd, Sydney, Australia.

Bowie, A.R., Maldonado, M.T., Frew, R.D., Croot, P.L., Achterberg, E.P., Mantoura, F.C., Worsfold, P.J., Law, C.S., Boyd, P.W. (2001) *The fate of added iron during a mesoscale fertilisation experiment in the Southern Ocean*. Deep-Sea Research II. **48**:2703-2743.

Bryars, S. (2003) *An inventory of important coastal fisheries habitats in South Australia*. Fish habitat Program, Primary Industries and Resources South Australia.

Bryars, S., Collings G., and Wear, R. (2008) 'Seagrasses of Gulf St Vincent and Investigator Strait', Chapter 11 in *Natural History of Gulf St Vincent*, Royal Society of South Australia Inc, pp 132–147.

Bureau of Meteorology (2010), *Tide Predictions for Australia South Pacific & Antarctica from the National Tidal Centre*, Accessed 06/09/2010, <http://www.bom.gov.au/oceanography/tides/>

Byrne, R.H., and Kester, D.R. (1976) Solubility of hydrous ferric oxide and iron speciation in seawater. *Marine Chemistry*. **4**:255-274.

City of Port Pirie (2010), *Levee bank design information*, pers. comm.

Cornell R. M. and Schwertmann U. (2003) *The iron oxides: Structure, properties, reactions, occurrences and uses*. 2nd Edn. (Wiley-VCH: New York.)

CSIRO (2008): *The Pasminco Port Pirie Smelter Study*. CSIRO Marine and Atmospheric Research, <http://www.cmar.csiro.au/airquality/pasminco.html>, modified 9/10/08.

SINCLAIR KNIGHT MERZ

Department for Environment and Natural Resources (DENR). (2010). Biological Records Search for study site with 2.5 kilometre buffer.

Department of Education, Employment and Workplace Relations (DEEWR). (2010). Small Area Labour Markets - March Quarter 2010.

Department of the Environment, Water, Heritage and the Arts (DEWHA). (2010). Online Protected Matters Search Tool, for Study Site (www.environment.gov.au/erin/ert/epbc/index.html).

DoH (2004a): *Characterisation and Source Apportionment of Air-Fall Dusts, Whyalla*. Environmental Health Service, South Australian Department of Health, October 2004.

DoH (2004b): Quantitative X-Ray Diffraction and Chemical Analysis of TSP and PM10 Filters Collected from Hummock Hill, Walls Street and Civic Park, Whyalla. Environmental Health Service, South Australian Department of Health, October 2004.

DoH (2005): The Port Pirie Lead Implementation Program Future Focus and Directions. Department of Health, Adelaide, December 2005.

DoH (2006): *Whyalla Health Impact Study Report*, Department of Health, Government of South Australia, 2006.

Duce, R. A. and Tindale N. W. (1991) *Atmospheric transport of iron and its deposition in the ocean*. *Limnology and Oceanography*. **36**:1715-1726.

Edwards, J.W. (2001) Metal levels in seston and marine fish flesh near industrial and metropolitan centres in South Australia. *Marine Pollution Bulletin*. **42**:389-396.

Edyvane, K.S. (1999a) Conserving marine biodiversity in South Australia, Part I: background, status and review of approach to marine biodiversity conservation in South Australia. South Australian Research and Development Institute, South Australia.

Edyvane, K.S. (1999b) Conserving marine biodiversity in South Australia, Part II: identification of areas of high conservation value in South Australia. South Australian Research and Development Institute, South Australia.

EPA (2001): *Ambient Air Quality Plan for South Australia*, Environment Protection Agency, ISBN 1 876562 28 5, August 2001.

EPA (2005a): *South Australia's Ambient Air Quality Monitoring Program: A Review*. Environment Protection Authority, ISBN 1 876562 77 3, May 2005.

EPA (2005b): *Presentation of air pollution modelling outputs*, EPA 578/05, Issued February 2005.

EPA (2006a): Air quality impact assessment using design ground level pollutant concentrations (DGLCs), EPA 386/06, Updated January 2006.

EPA (2006b): *Ambient Air Quality in Port Pirie South Australia Monitoring Campaign 2002–2005*, EPA Air Quality Unit, Environment Protection Authority, ISBN 1 921125 27 6, October 2006.

EPA (2007): *Ambient air monitoring at Whyalla, South Australia – Monitoring campaign 2004-06*, Air and Noise Branch, Principal Author: Kelly Rivett, Issued July 2007.

EPA (2007a): *Guidelines for separation distances*, SA Environment Protection Authority, Issued December 2007.

EPA (2008): Environment Protection Authority, *The State of Our Environment, South Australia, 2008*, ISBN: 978-1-921125-80-5, November 2008.

EPA (2010): *South Australia's Air Quality 2008*, Environment Protection Authority, ISBN 978-1-921495-11-3, April 2010 (see also preceding EPA reports for preceding years).

Gobler, C. J., Donat, J. R., Consolvo, J. A. and Sanudo-Wilhelmy, S.A. (2002) *Physicochemical speciation of iron during coastal algal blooms*. *Marine Chemistry*. **77**:71-89.

Harbison, P., and Wiltshire, D. (1993) '*Northern Spencer Gulf resource processing strategy*'. Working Paper 2, Marine Environment Protection. South Australian Government.

Holmer, M., Duarte, C.M., and Marba, N. (2005) Iron additions reduce sulfate reduction rates and improve seagrass growth on organic-enriched carbonate sediments. *Ecosystems*. **8**:721-730.

Hudson Howells (2010) *An Economic Impact Evaluation of the Western Plains Resources Peculiar Knob Mining Projects*.

Hutchings, P.A., Ward, T., Waterhouse, J.H. and Walker, L. (1993) *Infauna of marine sediments and seagrass beds of upper Spencer Gulf near Port Pirie, South Australia*. *Transactions of the Royal Society of South Australia*. **117**:1-15.

Mallavarapu, M., Lamb, D., Ming, H., and Sarkar, B. (2008) *Project Report: Dissolution of Hematite in Seawater and its Potential Impact on Phytoplankton Growth*. University of South Australia. Issued: 14 November 2008.

Marba, N., Duarte, C.M., Holmer, M., Calleja, M.L., Alvarez, E., Diaz-Almela, E., Garcias-Bonet, N., (2008) *Sedimentary iron inputs stimulate seagrass (*Posidonia oceanica*) population growth in carbonate sediments*. *Estuarine, Coastal and Shelf Science*. **76**:710-713.

Martin, J. H., Coale K. H., Johnson K. S., Fitzwater S. E., Gordon R. M., Tanner S. J., Hunter C. N., Elrod V. A., Nowicki J. L., Coley T. L., Barber R. T., Lindley S., Watson A. J., Van Scoy K., Law C. S., Liddicoat M. I., Ling R., Stanton T., Stockel J., Collins C., Anderson A., Bidigare R., Ondrusek M., Latasa M., Millero F. J., Lee K., Yao W., Zhang J. Z., Friederich G., Sakamoto C., Chavez F., Buck K., Kolber Z., Greene R., Falkowski P., Chisholm S. W., Hoge F., Swift R., Yungel J., Turner S., Nightingale P., Hatton A., Liss P., and Tindale, N. W. (1994) *Testing the iron hypothesis in ecosystems of the equatorial Pacific Ocean*. *Nature*. **371**:123-129

Morawska, L., M.R. Moore and Z.D. Ristovski, *Health Impacts of Ultrafine Particles Desktop Literature Review and Analysis*. A consultancy funded by the Australian Government, Department of the Environment and Heritage, 2004.

Muirden, A., and M. Parnell, *A Very Dirty Story, Protecting the Whyalla Community from Red Dust Pollution Caused by the OneSteel Pellet Plant*, Report for the Whyalla Red Dust Action Group Inc., Environmental Defenders Office (SA) Inc., 12th December 2003.

NEPC (2003): *National Environment Protection (Ambient Air Quality) Measure ("NEPM")*, as amended made under Section 20 of the National Environment Protection Council Act 1994 (Cwlth), National Environment Protection Council (Victoria) Act 1995 (Vic), (and other states), Prepared by the Office of Legislative Drafting, Attorney-General's Department, Canberra, 7 July 2003.

NEPC (2010): *Review of the National Environment Protection (Ambient Air Quality) Measure Discussion Paper Air Quality Standards*, Prepared for the National Environment Protection Council, July 2010.

NSW DECCW (2010): *Air quality – definitions*, NSW Department of Environment, Climate Change and Water, {<http://www.environment.nsw.gov.au/aqms/definitions.htm>}, last accessed 07/09/10.

NZ MfE (2001): Good practice guide for assessing and managing the environmental effects of dust emissions, New Zealand Ministry for the Environment, Wellington, September, 2001.

PB Geotechnical Report Parsons Brinckerhoff (PB) (2010) Geotechnical Desktop Study – Western Plains Resources, Port Pirie, SA.

Port Pirie Regional Council. (2010). Port Pirie City of Opportunity. Online.
<http://www.pirie.sa.gov.au/webdata/resources/files/PtPirieBrochureFinal20308.pdf>

Rabalais N. N. (2002) *Nitrogen in Aquatic Ecosystems*. Journal of the Human Environment. **31**: 102-112.

Real Estate Institute of South Australia. (2010). Market Update, June Quarter 2010. REISA.

Realestate.com. (2010). Search of residential rental properties. Online. September 14, 2010.

Ruiz-Halpern, S., Macko, S.A. and Fourqurean, J.W. (2008) The effects of manipulation of sedimentary iron and organic matter on sediment biogeochemistry and seagrasses in a subtropical carbonate environment. *Biogeochemistry*. **87**:113-126.

Seddon, S. (2000) Causes and ecological consequences of the Spencer Gulf seagrass dieback. PhD dissertation, University of Adelaide. 171 pp.

SEPP (2001): *State Environment Protection Policy (Air Quality Management)*, Victoria Government Gazette, SPECIAL No. S 240 Friday 21 December 2001.

SKM (2009): Port Lincoln Wharf Minerals Exporting Facility – Development Application, AIR QUALITY IMPACT ASSESSMENT, Final, 16 January 2009.

Stern, H., G. De Hoedt and J. Ernst, *Objective classification of Australian climates*. Aust. Met. Mag. 49, pp. 87-96, 2000.

Thompson, P. A., Butler, E. C. V. and R. J. Watson, (2008) A review of the role of iron, and the possible ramifications of its enhancement, in the phytoplankton ecology of lower Spencer Gulf, South Australia. CSIRO Marine and Atmospheric Research, 31 October 2008.

Tiller, K.G., Merry, R.H., Zarcinas, B.A., and Ward, T.J. (1989) Regional geochemistry of metal-contaminated surficial sediments and seagrasses in upper Spencer Gulf, South Australia. *Estuarine, Coastal and Shelf Science*. **28**:473-493.

SINCLAIR KNIGHT MERZ

Ussher, S.J., Achterberg, E.P. Worsfold, P.J. (2004) *Marine biogeochemistry of iron*. Environmental Chemistry. 1:67-80

Ward, T.J., Correll, R.L. and Anderson, R.B. (1986) Distribution of cadmium, lead and zinc amongst the marine sediments, seagrasses and fauna, and the selection of sentinel accumulators, near a lead smelter in South Australia.